

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 13-Jun-2022 Revision Date 13-Jun-2022 Revision Number 1

1. Identification

Product identifier

Product Name Exterior 450 Red Mahogany Stain

Other means of identification

Product Code(s) BLK290

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Exterior Wood Stain

Restrictions on useUse only for intended applications

Details of the supplier of the safety data sheet

Manufacturer Address Distributor

General Finishes Wood Essence
2462 Coporate Circle 2343 1st Ave North, unit B
East Trov. WI 53120 Saskatoon, SK S7K 2A2

East Troy, WI 53120 Saskatoon, SK S7K 2A2 Phone 1-800-783-6050 Phone 306-955-8775

Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000

Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350

Emergency telephone number

Emergency telephone 24 Hour Emergency Phone Number

Chemtrec 1-800-424-9300

+1 703 527 3887 (CHEMTREC International)

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

Label elements

None

Hazard statements

None.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Propylene glycol	57-55-6	3 - 7	-	-
Carbon black	1333-86-4	0.1 - 1	=	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the No information available.

chemical

Explosion data

Sensitivity to mechanical impact None. **Sensitivity to static discharge** None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision Date: 13-Jun-2022

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry place. Keep at temperatures below 49°C / 120°F. Keep from freezing.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSHA PEL		NIOSH		
Carbon black	TWA: 3 mg/m ³ inhalable		TWA: 3.5 mg/m ³		IDLH: 1750 mg/m ³		
1333-86-4	particulate matte			(vacated) TWA: 3.5 mg/m ³		TWA: 3.5 mg/m ³	
		, ,				0.1 mg/m³ Carbon black	
						resence of Polycyclic	
					aroma	atic hydrocarbons PAH	
Chemical name	Alberta	British Columbia		Ontario		Quebec	
Propylene glycol	-	-		TWA: 10 mg/m ³		-	
57-55-6				TWA: 50 pp			
				TWA: 155 mg	g/m³		
Carbon black	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³		TWA: 3 mg/m ³ TWA: 3 mg/		TWA: 3 mg/m ³	
1333-86-4							

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

If splashes are likely to occur, wear safety glasses with side-shields. Eye/face protection

Hand protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

No data available

Revision Date: 13-Jun-2022

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid Color Red / Brown Odor Slight

Odor threshold No information available

Property Values Remarks • Method 7.5 - 8.8

рΗ Melting point / freezing point No data available

Initial boiling point and boiling No data available

range

Flash point No data available No data available **Evaporation rate Flammability** No data available Flammability Limit in Air No data available Upper flammability or explosive No data available

limits

Lower flammability or explosive

limits

No data available Vapor pressure Vapor density No data available

8.5

Relative density

Water solubility

Soluble in water Solubility(ies)

No data available **Partition coefficient** No data available No data available **Autoignition temperature** No data available **Decomposition temperature** Kinematic viscosity No data available **Dynamic viscosity** No data available

Other information

Explosive properties No information available. **Oxidizing properties** No information available. No information available Softening point No information available Molecular weight No information available **VOC Content (%)**

VOC < 175 g/L

Liquid Density No information available **Bulk density** No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Exterior 450 Red Mahogany Stain

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Do not freeze.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Chemical name Oral LD50		Inhalation LC50	
Propylene glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-	
Carbon black	> 15400 mg/kg (Rat)	-	> 4.6 mg/m³ (Rat)4 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity This product contains carbon black which is classified as a possible carcinogen when

present as respirable dust. This is not relevant for this product since it is not in a respirable

form.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Carbon black	A3	Group 2B	-	X
1333-86-4				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposureNo information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Propylene glycol 57-55-6	EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =51600mg/L (96h, Oncorhynchus mykiss) LC50: 41 - 47mL/L (96h, Oncorhynchus mykiss) LC50: =51400mg/L (96h, Pimephales promelas) LC50: =710mg/L (96h, Pimephales promelas)	-	EC50: >1000mg/L (48h, Daphnia magna)

Persistence and degradability No i

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Propylene glycol 57-55-6	-1.07

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not regulated

Exterior 450 Red Mahogany Stain

TDG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65		
Carbon black - 1333-86-4	Carcinogen		
Diethanolamine - 111-42-2	Carcinogen		
Ethyl acrylate - 140-88-5	Carcinogen		
Ethylene glycol - 107-21-1	Developmental		

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania

• •

Propylene glycol 57-55-6	X	-	X
Triethanolamine 102-71-6	Х	Х	Х
Carbon black 1333-86-4	X	X	X
Glycerin 56-81-5	X	X	X
Triethylene glycol monobutyl ether 143-22-6	X	-	X
Diethanolamine 111-42-2	Х	X	X
Sodium hydroxide 1310-73-2	Х	X	X
Magnesium nitrate 10377-60-3	Х	X	Х
Ethyl acrylate 140-88-5	Х	Х	Х
Ethylene glycol 107-21-1	Х	Х	Х
Cyclohexane 110-82-7	Х	Х	Х
Phosphoric acid 7664-38-2	Х	Х	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Z		\sim 1	her		 1	
4	h	C IT	nor	шач		m
	υ.	O.			IIau	

NFPA Health hazards 0 Flammability 0 Instability 0 Special hazards - Health hazards * Flammability 0 Physical hazards 0 Personal protection X Chronic Hazard Star Legend *= Chronic Health Hazard

= Smomo riouni riouni riouni riouni riouni riouni

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Key or legend to abbreviations and acronyms used in the safety data sheet

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Issuing Date 13-Jun-2022

Revision Date 13-Jun-2022

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet