

# SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 20-Jun-2022 Revision Date 20-Jun-2022 Revision Number 1

### 1. Identification

Product identifier

Product Name High Performance Urethane Satin

Other means of identification

Product Code(s) BLK152

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Stains, Interior

**Restrictions on use**Use only for intended applications

### Details of the supplier of the safety data sheet

Manufacturer AddressDistributorGeneral FinishesWood Essence

 2462 Coporate Circle
 2343 1st Ave North, unit B

 East Troy, WI 53120
 Saskatoon, SK S7K 2A2

 Phone 1-800-783-6050
 Phone 306-955-8775

Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000

Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350

### Emergency telephone number

**Emergency telephone** 24 Hour Emergency Phone Number

Chemtrec 1-800-424-9300

+1 703 527 3887 (CHEMTREC International)

## 2. Hazard(s) identification

### Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

### Label elements

None

#### **Hazard statements**

None.

### Other information

No information available.

## 3. Composition/information on ingredients

### **Substance**

Not applicable.

### <u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	-	-
Tripropylene glycol monomethyl ether	25498-49-1	1 - 5	-	-
Isopropyl alcohol	67-63-0	0.1 - 1	-	-

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

### **Description of first aid measures**

**Inhalation** Remove to fresh air.

**Eye contact** Rinse thoroughly with plenty of water, also under the eyelids.

**Skin contact** Wash skin with soap and water.

**Ingestion** Rinse mouth.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

### 5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media No information available.

**High Performance Urethane Satin** 

Specific hazards arising from the

chemical

No information available.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision Date: 20-Jun-2022

gear. Use personal protection equipment.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### 7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

### 8. Exposure controls/personal protection

### Control parameters

### **Exposure Limits**

Chemical name	ACGIH TLV		OSH	A PEL		NIOSH
Dipropylene glycol monomethyl	TWA: 50 ppm		TWA: 100 ppm			IDLH: 600 ppm
ether			TWA: 60	00 mg/m³		TWA: 100 ppm
34590-94-8			(vacated) T\	WA: 100 ppm		TWA: 600 mg/m <sup>3</sup>
			(vacated) TV	/A: 600 mg/m <sup>3</sup>		STEL: 150 ppm
				ΓEL: 150 ppm	;	STEL: 900 mg/m³
			(vacated) ST	EL: 900 mg/m <sup>3</sup>		
			(vaca	ted) S*		
				S*		
Isopropyl alcohol	STEL: 400 ppm	1	TWA: 4	400 ppm		IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	l	TWA: 98	80 mg/m³		TWA: 400 ppm
			(vacated) T\	WA: 400 ppm		TWA: 980 mg/m <sup>3</sup>
			(vacated) TV	/A: 980 mg/m <sup>3</sup>		STEL: 500 ppm
			(vacated) S	ΓEL: 500 ppm	S	STEL: 1225 mg/m <sup>3</sup>
			(vacated) STE	L: 1225 mg/m <sup>3</sup>		
Chemical name	Alberta	Britis	h Columbia	Ontario		Quebec
Dipropylene glycol monomethyl	TWA: 100 ppm	TWA	A: 100 ppm	TWA: 100 p	om	TWA: 100 ppm
ether	TWA: 606 mg/m <sup>3</sup>	STE	L: 150 ppm	STEL: 150 p	pm	TWA: 606 mg/m <sup>3</sup>
34590-94-8	STEL: 150 ppm		Skin	Skin		STEL: 150 ppm
	STEL: 909 mg/m <sup>3</sup>					STEL: 909 mg/m <sup>3</sup>
	Skin					Skin
Isopropyl alcohol	TWA: 200 ppm	TWA	\: 200 ppm	TWA: 200 p	om	TWA: 400 ppm
67-63-0	TWA: 492 mg/m <sup>3</sup>	STE	L: 400 ppm	STEL: 400 p	pm	TWA: 985 mg/m <sup>3</sup>

Revision Date: 20-Jun-2022

STEL: 400 ppm		STEL: 500 ppm
STEL: 984 mg/m <sup>3</sup>		STEL: 1230 mg/m <sup>3</sup>

### Biological occupational exposure limits

Chemical name	ACGIH	
Isopropyl alcohol	40 mg/L - urine (Acetone) - end of shift at end of	
67-63-0	workweek	

### **Appropriate engineering controls**

**Engineering controls** Showers

> Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

If splashes are likely to occur, wear safety glasses with side-shields. Eye/face protection

Hand protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

No data available

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance

Physical state Liquid Color Milky White Odor Slight

**Odor threshold** No information available

Property Values Remarks • Method

7.7 - 8.5рΗ

Melting point / freezing point No data available

Initial boiling point and boiling No data available

range

Flash point No data available **Evaporation rate** No data available No data available **Flammability** Flammability Limit in Air No data available No data available Upper flammability or explosive

limits

Lower flammability or explosive

limits

No data available Vapor pressure Vapor density No data available

Relative density 1.03

Water solubility Soluble in water

Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available No data available **Decomposition temperature** No data available Kinematic viscosity

275 - 500 cP **Dynamic viscosity** 

Other information

Explosive properties
Oxidizing properties
No information available.
No information available.
No information available

**VOC** < 175 g/L

Liquid Density

No information available

Bulk density

No information available

### 10. Stability and reactivity

**Reactivity** None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Do not freeze.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

### 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

**Acute toxicity** 

**Numerical measures of toxicity** 

### The following values are calculated based on chapter 3.1 of the GHS document:

**ATEmix (oral)** 53,898.40 mg/kg

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dipropylene glycol monomethyl ether = 5.35 g/kg (Rat)		= 9500 mg/kg ( Rabbit )	•
Tripropylene glycol monomethyl ether	= 3200 mg/kg (Rat)	= 15440 mg/kg(Rabbit)	-
Isopropyl alcohol	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	> 10000 ppm (Rat) 6 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

## 12. Ecological information

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Dipropylene glycol monomethyl	-	LC50: >10000mg/L	-	LC50: =1919mg/L (48h,
ether		(96h, Pimephales		Daphnia magna)
34590-94-8		promelas)		
Tripropylene glycol monomethyl	-	LC50: =11619mg/L	-	EC50: >10mg/L (48h,
ether		(96h, Pimephales		Daphnia magna)
25498-49-1		promelas)		_
Isopropyl alcohol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L
67-63-0	Desmodesmus	Pimephales promelas)		(48h, Daphnia magna)
	subspicatus)	LC50: =11130mg/L		
	EC50: >1000mg/L (72h,	(96h, Pimephales		
	Desmodesmus	promelas)		
	subspicatus)	LC50: >1400000µg/L		
		(96h, Lepomis		
		macrochirus)		

Persistence and degradability No information available.

Bioaccumulation

**Component Information** 

Chemical name		Partition coefficient		
Dipropylene glycol monomethyl ether 34590-94-8		0.35		
	Isopropyl alcohol 67-63-0	0.05		

Mobility in soil

No information available.

Other adverse effects

No information available.

### 13. Disposal considerations

### Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

California waste information This product contains one or more substances that are listed with the State of California as

a hazardous waste.

### 14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

### 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### **International Inventories**

Contact supplier for inventory compliance status

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Dipropylene glycol monomethyl ether - 34590-94-8	1.0	
Tripropylene glycol monomethyl ether - 25498-49-1	1.0	
Isopropyl alcohol - 67-63-0	1.0	

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
Tripropylene glycol monomethyl ether 25498-49-1	X	-	X
Isopropyl alcohol 67-63-0	Χ	X	X
Propylene glycol monomethyl ether 107-98-2	X	X	X
2-(Dimethylamino)ethanol 108-01-0	Χ	X	X
Triethylene glycol monobutyl ether 143-22-6	X	-	X
Dipropylene glycol 25265-71-8	-	-	Х
Magnesium nitrate 10377-60-3	Х	X	X
Xylene 1330-20-7	Х	Х	X
Propylene glycol 57-55-6	Х	-	Х

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. Other information

NFPA Health hazards 0 Instability 0 Special hazards -Flammability 0 **HMIS** Health hazards 0 Flammability 0 Physical hazards 0 Personal protection X Chronic Hazard Star Legend \* = Chronic Health Hazard

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA STEL

Ceiling Maximum limit value Skin designation

### Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 20-Jun-2022

Revision Date 20-Jun-2022

Revision Note Initial Release.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**