



SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 01-Dec-2023

Revision Date 01-Dec-2023

Revision Number 1

1. Identification

Product identifier

Product Name Milk Paint White Base Satin/Snow White

Other means of identification

Product Code(s) B664 & B183

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Wood paint

Restrictions on use Use only for intended applications

Details of the supplier of the safety data sheet

Manufacturer Address

General Finishes
2462 Coporate Circle
East Troy, WI 53120
Phone 1-800-783-6050

Distributor

Wood Essence
2343 1st Ave North, unit B
Saskatoon, SK S7K 2A2
Phone 306-955-8775

Dover Finishing Products
180 Ave Du Voyageur
Pointe-Claire, QC H9R6A8
Phone 514-697-3000

Lee Valley Tools
1090 Morrison Drive
Ottawa, ON K2H1C2
Phone 613-596-0350

Emergency telephone number

Emergency telephone 24 Hour Emergency Phone Number
Chemtrec 1-800-424-9300
+1 703 527 3887 (CHEMTREC International)

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015).

Label elements

Hazard statements

Not classified.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

| Chemical name | CAS No. | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|------------------|------------|----------|--|---|
| Titanium dioxide | 13463-67-7 | 10 - 30 | - | - |
| Limestone | 1317-65-3 | 3 - 7 | - | - |
| Talc | 14807-96-6 | 1 - 5 | - | - |
| Silicon dioxide | 7631-86-9 | 1 - 5 | - | - |
| Aluminum oxide | 1344-28-1 | 1 - 5 | - | - |
| Propylene glycol | 57-55-6 | 1 - 5 | - | - |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

| | |
|---------------------|--|
| Inhalation | Remove to fresh air. |
| Eye contact | Rinse thoroughly with plenty of water, also under the eyelids. |
| Skin contact | Wash skin with soap and water. |
| Ingestion | Rinse mouth. |

Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|---------------------------|
| Symptoms | No information available. |
| Effects of Exposure | No information available. |

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|---------------------------|------------------------|

5. Fire-fighting measures

| | |
|---------------------------------------|---|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | No information available. |

Specific hazards arising from the chemical No information available.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|--------------------------------|--|--|---|
| Titanium dioxide 13463-67-7 | TWA: 0.2 mg/m ³ nanoscale respirable particulate matter TWA: 2.5 mg/m ³ finescale respirable particulate matter | TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust | IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ CIB 63 fine TWA: 0.3 mg/m ³ CIB 63 ultrafine, including engineered nanoscale |
| Limestone 1317-65-3 | - | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Talc 14807-96-6 | TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter | TWA: 20 mppcf if 1% Quartz or more, use Quartz limit (vacated) TWA: 2 mg/m ³ respirable dust <1% Crystalline silica, containing no Asbestos | IDLH: 1000 mg/m ³ TWA: 2 mg/m ³ containing no Asbestos and <1% Quartz respirable dust |

| | | | | |
|--------------------------------|--|--|--|--|
| | | TWA: 20 mppcf if 1% Quartz or more, use Quartz limit | | |
| Silicon dioxide 7631-86-9 | - | - | - | IDLH: 3000 mg/m ³ TWA: 6 mg/m ³ |
| Aluminum oxide 1344-28-1 | TWA: 1 mg/m ³ respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | | - |
| Chemical name | Alberta | British Columbia | Ontario | Quebec |
| Titanium dioxide 13463-67-7 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 3 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |
| Limestone 1317-65-3 | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 3 mg/m ³ STEL: 20 mg/m ³ | - | TWA: 10 mg/m ³ |
| Talc 14807-96-6 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Aluminum oxide 1344-28-1 | TWA: 10 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ | TWA: 10 mg/m ³ |
| Propylene glycol 57-55-6 | - | - | TWA: 10 mg/m ³ TWA: 50 ppm TWA: 155 mg/m ³ | - |

| | | | | |
|----------------------|--|---------------------------|--|--|
| Chemical name | Manitoba | New Brunswick | Newfoundland and Labrador | Nova Scotia |
| Titanium dioxide | TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³ | TWA: 10 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³ |
| Talc | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |

| | | | | |
|----------------------|---|--|---|--|
| Chemical name | Nunavut | Prince Edward Island | Saskatchewan | Yukon |
| Titanium dioxide | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³ | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³ |
| Limestone | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³ |
| Talc | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 20 mppcf |
| Silicon dioxide | | | | TWA: 300 particle/mL TWA: 20 mppcf TWA: 2 mg/m ³ |
| Aluminum oxide | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | | TWA: 10 mg/m ³ STEL: 20 mg/m ³ | TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³ |

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

If splashes are likely to occur, wear safety glasses with side-shields.

| | |
|---------------------------------------|--|
| Hand protection | No special protective equipment required. |
| Skin and body protection | No special protective equipment required. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. |

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

| | |
|----------------|--------------------------|
| Physical state | Liquid |
| Color | White |
| Odor | Slight |
| Odor threshold | No information available |

Property

Values

Remarks • Method

| | | |
|---|------------------|-------------------|
| pH | 7.5 - 8.8 | |
| Melting point / freezing point | | No data available |
| Initial boiling point and boiling range | | No data available |
| Flash point | | No data available |
| Evaporation rate | | No data available |
| Flammability | | No data available |
| Flammability Limit in Air | | |
| Upper flammability or explosive limits | | No data available |
| Lower flammability or explosive limits | | No data available |
| Vapor pressure | | No data available |
| Relative vapor density | | No data available |
| Relative density | 11.4 | |
| Water solubility | Soluble in water | |
| Solubility(ies) | | No data available |
| Partition coefficient | | No data available |
| Autoignition temperature | | No data available |
| Decomposition temperature | | No data available |
| Kinematic viscosity | | No data available |
| Dynamic viscosity | 1000 - 2000 cP | |

Other information

| | |
|----------------------|---------------------------|
| Explosive properties | No information available. |
| Oxidizing properties | No information available. |
| Softening point | No information available |
| Molecular weight | No information available |
| VOC content | No information available |
| VOC | < 50 g/L |
| Liquid Density | No information available |
| Bulk density | No information available |

10. Stability and reactivity

| | |
|---|-----------------------------------|
| Reactivity | None under normal use conditions. |
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | None under normal processing. |

| | |
|---|---|
| Conditions to avoid | Do not freeze. |
| Incompatible materials | None known based on information supplied. |
| Hazardous decomposition products | None known based on information supplied. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|---|
| Inhalation | Specific test data for the substance or mixture is not available. |
| Eye contact | Specific test data for the substance or mixture is not available. |
| Skin contact | Specific test data for the substance or mixture is not available. |
| Ingestion | Specific test data for the substance or mixture is not available. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

| | |
|--------------------------------------|------------------|
| ATEmix (oral) | 41,825.50 mg/kg |
| ATEmix (dermal) | 116,665.80 mg/kg |
| ATEmix (inhalation-dust/mist) | 20.00 mg/l |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------|-----------------------|--------------------------|-------------------------|
| Titanium dioxide | > 10000 mg/kg (Rat) | - | = 5.09 mg/L (Rat) 4 h |
| Silicon dioxide | = 7900 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 58.8 mg/L (Rat) 4 h |
| Aluminum oxide | > 5000 mg/kg (Rat) | - | - |
| Propylene glycol | = 20 g/kg (Rat) | = 20800 mg/kg (Rabbit) | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | No information available. |
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|----------|-----|------|
| Titanium dioxide 13463-67-7 | A3 | Group 2B | - | X |
| Talc 14807-96-6 | - | Group 3 | - | X |
| Silicon dioxide 7631-86-9 | - | Group 3 | - | - |

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** No information available.**Aspiration hazard** No information available.**12. Ecological information****Ecotoxicity**

The environmental impact of this product has not been fully investigated.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|------------------------------|---|---|----------------------------|---|
| Talc 14807-96-6 | - | LC50: >100g/L (96h, Brachydanio rerio) | - | - |
| Silicon dioxide 7631-86-9 | EC50: =440mg/L (72h, Pseudokirchneriella subcapitata) | LC50: =5000mg/L (96h, Brachydanio rerio) | - | EC50: =7600mg/L (48h, Ceriodaphnia dubia) |
| Propylene glycol 57-55-6 | EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata) | LC50: =51600mg/L (96h, Oncorhynchus mykiss) LC50: 41 - 47mL/L (96h, Oncorhynchus mykiss) LC50: =51400mg/L (96h, Pimephales promelas) LC50: =710mg/L (96h, Pimephales promelas) | - | EC50: >1000mg/L (48h, Daphnia magna) |

Persistence and degradability No information available.**Bioaccumulation****Component Information**

| Chemical name | Partition coefficient |
|-----------------------------|-----------------------|
| Propylene glycol 57-55-6 | -1.07 |

Other adverse effects No information available.**13. Disposal considerations**

Disposal methods

| | |
|--|---|
| Waste from residues/unused products | Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation. |
| Contaminated packaging | Do not reuse empty containers. |

14. Transport information

| | |
|-------------|---------------|
| DOT | Not regulated |
| TDG | Not regulated |
| IATA | Not regulated |
| IMDG | Not regulated |

15. Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|----------------------------|-------------------------------|
| Aluminum oxide - 1344-28-1 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:.

| Chemical name | California Proposition 65 |
|-----------------------------------|---|
| Titanium dioxide - 13463-67-7 | Carcinogen |
| Quartz - 14808-60-7 | Carcinogen |
| Methyl isobutyl ketone - 108-10-1 | Carcinogen Developmental |
| Diethanolamine - 111-42-2 | Carcinogen |
| 1,4-Dioxane - 123-91-1 | Carcinogen |
| Ethylene oxide - 75-21-8 | Carcinogen Developmental Female Reproductive Male Reproductive |
| Propylene oxide - 75-56-9 | Carcinogen |
| Methanol - 67-56-1 | Developmental |
| Methyl chloride - 74-87-3 | Developmental Male Reproductive |
| Acetaldehyde - 75-07-0 | Carcinogen |
| Formaldehyde - 50-00-0 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Titanium dioxide 13463-67-7 | X | X | X |
| Limestone 1317-65-3 | X | X | X |
| Talc 14807-96-6 | X | X | X |
| Silicon dioxide 7631-86-9 | - | X | X |
| Aluminum oxide 1344-28-1 | X | X | X |
| Propylene glycol 57-55-6 | X | - | X |
| Dipropylene glycol monomethyl ether 34590-94-8 | X | X | X |
| Quartz 14808-60-7 | X | X | X |
| Methyl isobutyl ketone 108-10-1 | X | X | X |
| Diethanolamine 111-42-2 | X | X | X |
| 1,4-Dioxane 123-91-1 | X | X | X |
| Ethylene oxide 75-21-8 | X | X | X |
| Propylene oxide 75-56-9 | X | X | X |
| Methyl chloride 74-87-3 | X | X | X |
| Acetaldehyde | X | X | X |

| | | | |
|-------------------------|---|---|---|
| 75-07-0 | | | |
| Formaldehyde 50-00-0 | X | X | X |
| Methanol 67-56-1 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 1 Flammability 0 Instability 0 Special hazards -
HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal protection X
 Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend**

SVHC: Substances of Very High Concern for Authorization:
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
 STOT: Specific Target Organ Toxicity
 ATE: Acute Toxicity Estimate
 LC50: 50% Lethal Concentration
 LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
 Ceiling Maximum limit value Sk* Skin designation
 + Sensitizers

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AELG(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Issuing Date 01-Dec-2023

Revision Date 01-Dec-2023

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet